

1.01378-65		UR/0 93/65/000/006/0042/0043	
ACCESSION NR: AP-018210		621.52/522.1	
AUTHOR: Christoplov, I. M.; Futilov, K. V. D.		34/B	
TITLE: New series of oil-steam high-vacuum pumps		10,55	
SOURCE: Byulleten' tekhniko-ekonomicheskoy informatsii, no. 6, 1965, 42-43			
TOPIC TAGS: pump, vacuum pump, high vacuum pump, oil steam pump/N2T 2M pump, N5T 2M pump, N8T 2M pump		24	
ABSTRACT: The central design bureau for vacuum equipment at the Council of National Economy of the Mid-Volga District has designed a line of oil-steam high-vacuum pumps N2T-2M, N5T-2M, and N8T-2M as a replacement for the N2T, N5T and N8T pumps presently manufactured by the Kazan machine-building plant. The new pumps are somewhat larger and weigh about 12% more than the old ones, but have five times higher capacity. They also ensure a deeper vacuum: $5 \cdot 10^{-3}$ mm Hg as compared to $5 \cdot 10^{-6}$ mm Hg of the old pumps. Orig. art. has: 1 figure and 1 table. [DV]			
ASSOCIATION: none		SUB CODE: IE	
SUBMITTED: 00		ATD PRESS: 4081	
NO REF SOV: 000		OTHER: 000	
Card 1/12m			

CHISTOP'YAN, A.F.

Grinding multiple screw threads. Stan.1 instr. 31 no.8:38
Ag '60. (MIRA 13:8)

(Screw cutting)

RYZHOV, E.V., kand.tekhn.nauk, dotsent; CHISTOP'YAN, A.F., inzh.

Gear milling with worm hobs having a positive cutting angle.
Vest.mash. 41 no.8:36-87 Ag '61. (MIRA 14:8)
(Gear cutting)

CHISTOP'YANOV, Dmitriy Fedorovich [Chystap'ianau, D.F.]; POL'SKIY, S.
[Pol'ski, S.], red.; STEPANOVA, N. [Stasiapanova, N.], tekhn.red.

[Mysterious continent] Taimnichy matsiaryk. Minsk, Dziarzh.
vyd-va BSSR, Red.narukova-tekhn.lit-ry, 1959. 136 p.
(MIRA 13:12)

(Antarctic regions)

CHISTORAZUM, A. A.

USSR/Physics - Ultrasonics in Fluids 11 Dec 51

"Velocity of Ultrasonic Waves in Certain Binary Mixtures of Organic Fluids," I. G. Mikhaylov, A. A. Chistorazum

"Dok Ak Nauk SSSR" Vol LXXI, No 5, pp 770-782

Measure the velocity of sound (m/sec), compressibility (cm^2/dyne), and density (g/cm^3) as a function of one of the components (0-100%). Mixtures used were: $(\text{CH}_3)_2\text{CO}-\text{CS}_2$; $\text{CH}_3\text{OH}-\text{CS}_2$; $\text{CH}_3\text{OH}-\text{C}_6\text{H}_6$; $(\text{CH}_3)_2\text{CO}-\text{CHCl}_3$; $\text{C}_2\text{H}_5\text{COCH}_3-\text{H}_2\text{O}$. Measurements were

210796

USSR/Physics - Ultrasonics in Fluids 11 Dec 51
(Contd)

carried out on the ultrasonic interferometer at a frequency of 2,869 cycles/sec. Cf. I. G. Mikhaylov "Propagation of Ultrasonic Waves in Fluids," 1949. Submitted by Acad A. N. Terenin 15 Oct 51.

210796

U S S R .

62
 The length of molecular chains of cis and trans polydienes.
 A. A. Chistoranin. *Doklady Akad. Nauk S.S.S.R.* 69, 100-102 (1953). Engl. translation issued as U.S. Atomic Energy Comm., NSP-tr-61, 4 pp. (1953).—The purpose is to compute the av. of the square of the lengths $\bar{h}^2$ by a method proposed by Vol'kenshtein and Ptitsyn (C.A. 49, 2162e), and making use of their theory of rotation isomers (C.A. 49, 2824h). The effect of restricted rotation is taken into account. The general expression is applied to 3 cases: (1) chains with alternating bonds and different valence angles, (2) the same situation, however with rotation around every second bond completely hindered. For a large no. of bonds N , $\bar{h}^2$ becomes proportional to N^2 . Finally the diene chain is considered. In general, 4 different values of $\psi = \cos \phi$ must be taken into account here, depending on the bond around which rotation is to take place. The magnitudes of the η are tabulated for the polymers of butadiene, isoprene, and dimethylbutadiene. For the 3 single bonds they vary between 0.45 and 0.59. The computation of $\bar{h}^2$ is then performed without allowing for differences in bond angles and lengths. For the trans, $(\bar{h}^2)^{1/2}$ is 3 times as large as for the cis configuration. The effects of mixed trans-cis and of partial hydrogenation are also considered. When there is 33% cis, hydrogenation has no influence. When there is less, the η -value averaged over all types of bonds, and hence also $\bar{h}^2$, increase with increasing hydrogenation, assuming for polyethylene $\cos \phi = 0.5$. When there is more cis, the reverse holds. Robert Simha

ALIKSANDROV, S.N.; BUCHEL', V.I.; CHISTORAZUM. S.A.

Infrared spectrometer for analytic purposes. Trudy Inst. "Khimgaz"
no.6:72-100 '51. (MLRA 7:8)

(Spectrometer) (Spectrum, Infrared)

1ST AND 2ND COLUMNS										3RD AND 4TH COLUMNS									
COMMON ELEMENTS																			
CHISTOSERDOV, A. N.										PROCESSES AND PROPERTIES INDEX									
B										7									
New Trend in Production of "E-50" Electrodes. (In Russian.) K. O. Kontrzhitsky and A. N. Chistoser-dov. <i>Avtogennoe Delo</i> (Welding), no. 2, 1947, p. 24. A new coating for low-carbon electrodes has been tried out with considerable success. The composition of the coating and the results of testing are given.																			
U.S.S.R. METALLURGICAL LITERATURE CLASSIFICATION										E-277-111-14-10-1									
1947-1948										1949-1950									
1951-1952										1953-1954									
1955-1956										1957-1958									
1959-1960										1961-1962									
1963-1964										1965-1966									
1967-1968										1969-1970									
1971-1972										1973-1974									
1975-1976										1977-1978									
1979-1980										1981-1982									
1983-1984										1985-1986									
1987-1988										1989-1990									
1991-1992										1993-1994									
1995-1996										1997-1998									
1999-2000										2001-2002									
2003-2004										2005-2006									
2007-2008										2009-2010									
2011-2012										2013-2014									
2015-2016										2017-2018									
2019-2020										2021-2022									
2023-2024										2025-2026									
2027-2028										2029-2030									
2031-2032										2033-2034									
2035-2036										2037-2038									
2039-2040										2041-2042									
2043-2044										2045-2046									
2047-2048										2049-2050									
2051-2052										2053-2054									
2055-2056										2057-2058									
2059-2060										2061-2062									
2063-2064										2065-2066									
2067-2068										2069-2070									
2071-2072										2073-2074									
2075-2076										2077-2078									
2079-2080										2081-2082									
2083-2084										2085-2086									
2087-2088										2089-2090									
2091-2092										2093-2094									
2095-2096										2097-2098									
2099-2100										2101-2102									
2103-2104										2105-2106									
2107-2108										2109-2110									
2111-2112										2113-2114									
2115-2116										2117-2118									
2119-2120										2121-2122									
2123-2124										2125-2126									
2127-2128										2129-2130									
2131-2132										2133-2134									
2135-2136										2137-2138									
2139-2140										2141-2142									
2143-2144										2145-2146									
2147-2148										2149-2150									
2151-2152										2153-2154									
2155-2156										2157-2158									
2159-2160										2161-2162									
2163-2164										2165-2166									
2167-2168										2169-2170									
2171-2172										2173-2174									
2175-2176										2177-2178									
2179-2180										2181-2182									
2183-2184										2185-2186									
2187-2188										2189-2190									
2191-2192										2193-2194									
2195-2196										2197-2198									
2199-2200										2201-2202									
2203-2204										2205-2206									
2207-2208										2209-2210									
2211-2212										2213-2214									
2215-2216										2217-2218									
2219-2220										2221-2222									
2223-2224										2225-2226									
2227-2228										2229-2230									
2231-2232										2233-2234									
2235-2236										2237-2238									
2239-2240										2241-2242									
2243-2244										2245-2246									
2247-2248										2249-2250									
2251-2252										2253-2254									
2255-2256										2257-2258									
2259-2260										2261-2262									
2263-2264										2265-2266									
2267-2268										2269-2270									
2271-2272										2273-2274									
2275-2276										2277-2278									
2279-2280										2281-2282									
2283-2284										2285-2286									
2287-2288										2289-2290									
2291-2292										2293-2294									
2295-2296										2297-2298									
2299-2300										2301-2302									
2303-2304										2305-2306									
2307-2308										2309-2310									
2311-2312										2313-2314									
2315-2316										2317-2318									
2319-2320										2321-2322									
2323-2324										2325-2326									
2327-2328										2329-2330									
2331-2332										2333-2334									
2335-2336										2337-2338									
2339-2340										2341-2342									
2343-2344										2345-2346									
2347-2348										2349-2350									
2351-2352										2353-2354									
2355-2356										2357-2358									
2359-2360										2361-2362									
2363-2364										2365-2366									
2367-2368										2369-2370									
2371-2372										2373-2374									
2375-2376										2377-2378									
2379-2380										2381-2382									
2383-2384										2385-2386									
2387-2388										2389-2390									
2391-2392										2393-2394									
2395-2396										2397-2398									
2399-2400										2401-2402									
2403-2404										2405-2406									
2407-2408										2409-2410									
2411-2412										2413-2414									
2415-2416										2417-2418									
2419-2420										2421-2422									
2423-2424										2425-2426									
2427-2428										2429-2430									
2431-2432										2433-2434									
2435-2436										2437-2438									
2439-2440										2441-2442									
2443-2444										2445-2446									
2447-2448										2449-2450									
2451-2452										2453-2454									
2455-2456										2457-2458									
2459-2460										2461-2462									
2463-2464										2465-2466									
2467-2468										2469-2470									
2471-2472										2473-2474									
2475-2476										2477-2478									
2479-2480										2481-2482									
2483-2484										2485-2486									
2487-2488										2489-2490									
2491-2492										2493-2494									
2495-2496										2497-2498									
2499-2500										2501-2502									
2503-2504										2505-2506									
2507-2508										2509-2510									
2511-2512										2513-2514									
2515-2516										2517-2518									
2519-2520										2521-2522									
2523-2524										2525-2526									
2527-2528										2529-2530									
2531-2532										2533-2534									
2535-2536										2537-2538									
2539-2540										2541-2542									
2543-2544										2545-2546									
2547-2548										2549-2550									
2551-2552										2553-2554									
2555-2556										2557-2558									
2559-2560										2561-2562									
2563-2564										2565-2566									
2567-2568										2569-2570									
2571-2572										2573-2574									
2575-2576										2577-2578									
2579-2580										2581-2582									
2583-2584										2585-2586									
2587-2588										2589-2590									
2591-2592										2593-2594									
2595-2596										2597-2598									
2599-2600										2601-2602									
2603-2604										2605-2606									
2607-2608										2609-2610									
2611-2612										2613-2614									
2615-2616										2617-2618									
2619-2620										2621-2622									
2623-2624										2625-2626									
2627-2628										2629-2630									
2631-2632										2633-2634									
2635-2636										2637-2638									
2639-2640										2641-2642									
2643-2644										2645-2646									
2647-2648										2649-2650									
2651-2652										2653-2654									
2655-2656										2657-2658									
2659-2660										2661-2662									
2663-2664										2665-2666									
2667-2668										2669-2670									
2671-2672										2673-2674									
2675-2676										2677-2678									
2679-2680										2681-2682									
2683-2684										2685-2686									
2687-2688										2689-2690									
2691-2692										2693-2694									
2695-2696										2697-2698									
2699-2700										2701-2702									
2703-2704										2705-2706									
2707-2708										2709-2710									
2711-2712										2713-2714									
2715-2716										2717-2718									
2719-2720										2721-2722									
2723-2724										2725-2726									
2727-2728										2729-2730									
2731-2732										2733-2734									
2735-2736										2737-2738									
2739-2740										2741-2742									
2743-2744										2745-2746									
2747-2748										2749-2750									
2751-2752										2753-2754									
2755-2756										2757-2758									
2759-2760										2761-2762									
2763-2764										2765-2766									
2767-2768										2769-2770									
2771-2772										2773-2774									
2775-2776										2777-2778									
2779-2780										2781-2782									
2783-2784										2785-2786									
2787-2788										2789-2790									
2791-2792										2793-2794									
2795-2796										2797-2798									
2799-2800										2801-2802									
2803-2804										2805-2806									
2807-2808										2809-2810									
2811-2812										2813-2814									
2815-2816										2817-2818									
2819-2820										2821-2822									
2823-2824										2825-2826									
2827-2828										2829-2830									
2831-2832										2833-2834									
2835-2836										2837-2838									
2839-2840										2841-2842									
2843-2844										2845-2846									
2847-2848										2849-2850									
2851-2852										2853-2854									
2855-2856										2857-2858									
2859-2860										2861-2862									
2863-2864										2865-2866									
2867-2868										2869-2870									
2871-2872										2873-2874									
2875-2876										2877-2878									
2879-2880										2881-2882									
2883-2884										2885-2886									
2887-2888										2889-2890									
2891-2892										2893-2894									
2895-2896										2897-2898									
2899-2900										2901-2902									
2903-2904										2905-2906									
2907-2908										2909-2910									
2911-2912										2913-2914									
2915-2916										2917-2918									
2919-2920										2921-2922									
2923-2924										2925-2926									
2927-2928										2929-2930									
2931-2932										2933-2934									
2935-2936										2937-2938									
2939-2940										2941-2942									
2943-2944										2945-2946									
2947-2948										2949-2950									
2951-2952										2953-2954									
2955-2956										2957-2958									
2959-2960										2961-2962									
2963-2964										2965-2966									
2967-2968										2969-2970									
2971-2972										2973-2974									
2975-2976										2977-2978									
2979-2980										2981-2982									
2983-2984										2985-2986									
2987-2988										2989-2990									
2991-2992										2993-2994									
2995-2996										2997-2998									
2999-3000										3001-3002									
3003-3004																			

185124

UssR/Engineering - Welding

Mar 51

"Rapid Methods for Manual Welding of Stays, Bushings and Caps in an "L" Locomotive Boiler" A. V. Shadrin, Eng'r, Laureate of Stalin Prize, A. N. Chistoserlov, Eng'r, Kolsoma Locomotive-Bldg Plant

"Avtogen Delo" No 3, pp 25-27

Discusses measures experimentally developed for decreasing welding time. Electrodes with various-type coatings were used instead of those with chalk coating. As result, time of welding stays of firebox was decreased by 83

185124

UssR/Engineering - Welding (Contd) Mar 51

for each boiler. Wide application of mechanized turning devices is another essential measure.

185124

CHISTOSERLOV, A. N.

137-58-3-5290

Translation from: Referativnyy zhurnal, Metallurgiya, 1958, Nr 3, p 118 (USSR)

AUTHORS: Chistoserdov, A. N., Entin, Ya. B.

TITLE: ~Manufacture of Metallic Electrodes of the E42 and E42A Type
(Izgotovleniye metallicheskih elektrodov tipa E42 i E42A)

PERIODICAL: Mashinostroitel', 1957, Nr 6, pp 47-48

ABSTRACT: An account of the Kolomna engine-driven-locomotive plant's experience of replacing ferrotitanium in electrode coatings by the KPZ-32, KPZ-32A, and UONI-13/45 coatings containing powdered Ti (PT). Because of smaller amounts of PT contained in the coating (as compared with ferrotitanium), a reduced TiO₂ content, and decreased cost of manufacturing the electrodes, the employment of PT afford economical advantages. The composition of coatings containing PT and ferrotitanium is shown. Recommendations are made regarding the thickness of the coating. Electrodes covered with a coating containing PT possess good technological qualities and impart all required mechanical properties to the metal of the weld.

O.S.

Card 1/1

CHISTOSERDOV, A.S.

Calculating water discharge from pits in loose and fractured
rocks. Mat. po geol. i pol. iskop. IUsk. Urala no. 2:130-135
'60. (MIRA 14:3)

(Water, Underground)

AZARKOVICH, A.Ye., inzh.; CHISTOSERDOV, B.I., inzh.; DAYDOV, S.A., inzh.

Effect of spacing between boreholes on the results of blasting.
Vzryv. delo no.45:63-75 '60. (MIRA 14:1)
(Blasting)

MOLOCHNIKOV, I.M.; CHISTOSERDOV, B.P.; KOKOVA, V.A.; KORALEVA, M.P.

Effect of methods employed in the production of hydrogen
on the technical and economic indices of petrochemical and
petroleum refining production. Trudy BashNII NP no.7:
175-177 '64.

(MIRA 17:9)

CHISTOSERDOV, B.P.; ZENINSKIY, A.M.; KOROLEVA, M.P.; NURMUKHAMEDOVA, I.Z.

Methodology for determining labor productivity in the petroleum industry. Khim. i tekhn. topl. i masel 10 no.10:34-38 0 '65.

(MIRA 18:10)

1. Bashkirskiy nauchno-issledovatel'skiy institut po pererabotke
nefti.

CHISTOSERDOV, D. P.

Peredvizhnye Kinoproektor Dlia 35-mm Plenki (Motion Picture Camera), 213 p.,
Moscow, 1950.

CHISTOSERDOV, Dmitriy Petrovich; PANFILOV, N.D., red.; CHICHERIN, A.N.,
tekhn.red.

[Operation of portable 35-mm. motion-picture projectors].
Ekspluatatsiia peredvizhnykh 35-mm kinoproektorov. Moskva, Gos.
izd-vo "Iskusstvo, 1958. 138 p. (MIRA 12:4)
(Motion-picture projectors)

ACCESSION NR: AT4019306

S/0000/63/003/001/0150/0151

AUTHOR: Borgman, V. A.; Chistoserdov, G.

TITLE: Some properties of the latent image in photosensitive glasses

SOURCE: Simpozium po stekloobraznomu sostoyaniyu. Leningrad, 1962. Stakloobraznoye sostoyaniye, vy*p 1: Katalizirovannaya kristallizatsiya stekla (Vitreous state, no. 1: Catalyzing crystallization of glass). Trudy* simpoziuma, v. 3, no. 1. Moscow, Izd-vo AN SSSR, 1963, 150-151

TOPIC TAGS: glass, photosensitive glass, latent image, irradiation, ultraviolet light, photosensitivity, ultraviolet irradiation, optical density

ABSTRACT: The effect of ultraviolet light on photosensitive glass (0.4 mm thick sample) was investigated to determine the dependence on temperature and time of irradiation. The relationship between the optical density in the maximum region of absorption of the latent image centers and the irradiation time at 20 and 180C is shown in Fig. 1 of the Enclosure. The relationship between the value $\ln \frac{\Delta D_m}{\Delta t}$ and irradiation time was investigated at 20 and 180C. The experimental curves showed that at 20C $\Delta N=0.1$ and an $\sigma=1.17 \times 10^{-16}$, at

Card 1/3

ACCESSION NR: AT4019306

180C, α N=0.17 and an $\sigma=2.6 \times 10^{-8}$ for the given thickness of the sample and under the given irradiation conditions, inasmuch as N (the concentration of free electrons) depends on the intensity of radiation (n_0 - free traps). The investigations with other samples give a scattering of the n_0 value within two orders, because the properties of glass samples differ somewhat in homogeneity. Undoubtedly the N value varies little over the temperature range investigated at the same intensity of radiation, while the concentration of trap n_0 increases with temperature 9 to 10 times as much. This explains the increase in photo-sensitivity during heating over temperature ranges at which a latent image is formed. After heating and cooling of the glass n_0 and the sensitivity increase with respect to the initial value. Hence the growth of n_0 must be attributed to the reversible changes in the glass structure. Orig. art. has: 4 formulas and 2 figures.

ASSOCIATION: None

SUBMITTED: 17May63

DATE ACQ: 21Nov63

ENCL: 01

SUB CODE: MT, OP

NO REF SOV: 003

OTHER: 000

2/3

Card

ACCESSION NR: AT4019306

ENCLOSURE: 01




Fig. 1 - Dependence of the optical density in the maximum absorption band of latent image centers on the irradiation time.
1 - irradiation at 20°C 2 - at 180°C

Card 3/3

L 58892-65 EWA(h)/EWT(1) Pub
 ACCESSION NR: AP5019007
 UR/0286/65/000/012/0034/0034
 621.317.333.82
 18
 13
 AUTHOR: Chistosardov, M. G.
 TITLE: A method for producing intermittent voltage. Class 21, No. 171912
 SOURCE: Byulleten' izobreteniy i tovarnykh znakov, no. 12, 1965, 34
 TOPIC TAGS: pulse generator, intermittent voltage
 ABSTRACT: This Author's Certificate introduces a method for producing intermittent voltage by using a high voltage transformer with the primary connected to the inductance of a tank circuit with a precharged capacitor. Distortion in the voltage pulses is reduced by connecting the transformer to the inductance at the moment when capacitor discharge begins and the voltage is close to zero in step with a device which switches the capacitor to discharge.
 ASSOCIATION: none
 SUBMITTED: 29Feb64
 NO REF SOV: 000
 Card 1/1
 ENCL: 00
 OTHER: 000
 SUB CODE: EC

CHRISTOPHER DOW, P.S.

PHASE I BOOK EXPLOITATION

SOV/4754

Vsesoyuznoye soveshchaniye po gruppovym tekhnologicheskim protsessam v mashinostroyenii i priborostroyenii. 1st, Leningrad, 1959

Gruppovaya tekhnologiya v mashinostroyenii i priborostroyenii (Group-Processing Methods in the Machine and Instrument Industries) Moscow, Mashgiz, 1960. 378 p. Errata slip inserted. 7,000 copies printed.

Ed. (Title page): S.P. Mitrofanov, Lenin Prize Winner, Candidate of Technical Sciences; Eds.: A.S. Azarov, Candidate of Technical Sciences, N.G. Gutner, Engineer, P.V. Kamnev, Candidate of Technical Sciences, A.K. Kutay, Candidate of Technical Sciences, R.A. Reznikov, Engineer, and G.N. Shalgin, Candidate of Economic Sciences; Managing Ed. for Literature on Machine-Building Technology (Leningrad Department, Mashgiz): Ye.P. Naumov, Engineer; Ed. of Publishing House: N.Z. Simonovskiy; Tech. Ed.: O.V. Speranskaya.

PURPOSE: This collection of articles is intended for technical personnel in machine plants, designing organizations, and scientific-research institutes. It may also be useful to skilled workers.

~~Card 1/7~~

Group-Processing (Cont.)

SOV/4754

COVERAGE: The collection consists of papers presented at the 1st All-Union Conference on Group Processing in the Machine and Instrument Industries, held November 24-28, 1959 in Leningrad. The conference was called by scientific and technical societies of the machine and instrument industry, GNTK RSFSR, and Lensovnarkhoz. The articles are based on the experience of industry in introducing the grouping principle in processing. They discuss basic trends in development, and group machining as the basis of mechanized continuous production. The designing of automatic production lines, construction of accessories, and modernization and specialization of equipment are discussed. Problems dealing with the introduction of group-machining methods into processing on various machine tools and into production of blanks (casting, pressworking, pressing of plastics) are considered. Planning, standardization, and methods for calculating the economic effectiveness of group processing are also treated. No personalities are mentioned. There are no references.

TABLE OF CONTENTS:

From the Publisher

3

~~Card 2/7~~

Group-Processing (Cont.)

SOV/4754

PART I. PROCESSING IN BLANK-MAKING DEPARTMENTS

Mednikov, Z.G. [Leningrad]. Application of the Group Machining Method in Die Forming of Molten Metal and in Die Casting	5
Kamnev, P.V. [Leningrad]. Group Method in the Manufacture of Forgings	22
Chistoserdiv, P.S. [Mogilev]. Cold Forging in Group Dies With Exchangeable Forming Parts	42
Vostrodovskiy, A.V. [Leningrad]. Group Method of Processing Parts by Forging (From the Work Experience of the "Vulkan" Plant)	58
Platov, A.V. [Leningrad]. Basic Principles of Introduction of Group Processing in the Production of Articles of Thermosetting Plastics	67

PART II. MECHANICAL MACHINING AND ASSEMBLY PROCESSES

Bachelyuk, I.G. [Kiyev]. Introduction of the Group-Machining Method for Machining Parts on Various Metal-Cutting Machine Tools (From the Experience of the Kiyev "Arsenal" Plant)	87
---	----


~~Card 3/7~~

CHISTOSERDOV, Pavel Sergeyevich; BARANOVSKIY, M., red.; VANCHUK, L.,
~~red.~~

[Standardization of technological processes and the multiple
machining of parts] Tipizatsiia tekhnologicheskikh protsessov
i gruppovye metody obrabotki detalei. Minsk, Belarus', 1964.
189 p.
(MIRA 18:4)

CHISTOSERDOV, P.S.; NEUMOIN, A.I.

Multiple cold stamping with universal dies. Mashinostroitel'
no.11:24-26 '65. (MIR: 18:11)



24660

15.2120

S/076/61/035/006/013/013
B127/B203

AUTHORS: Borgman, V. A., Petrov, V. M., and Chistoserdov, V. G.

TITLE: Temperature dependence of the photochemical process in light-sensitive glass

PERIODICAL: Zhurnal fizicheskoy khimii, v. 35, no. 6, 1961, 1383-1385

TEXT: The authors studied the properties of light-sensitive glass during irradiation with ultraviolet light from a $\Pi PK-7$ (PRK-7) irradiation lamp at temperatures of $-180^{\circ}C$ to $550^{\circ}C$. The composition of the glass in % was as follows: $76 SiO_2$; $8 Al_2O_3$; $12 Li_2O$, $4 K_2O$; $0.03 CeO_2$; $0.02 Ag$. The Ce^{+++} ion served as photoelectron emitter excited by light of the wavelength $300-350 m\mu$. When working in the heat, the Ag^+ was reduced by the photoelectrons, and was present as colloidal Ag. Glass irradiated at $20^{\circ}C$ changed color when heated to $450^{\circ}C$. At $530-550^{\circ}C$, the color intensified. Glass irradiated at temperatures above $220^{\circ}C$ started changing its color during irradiation, the color intensification showed the increasing concentration of colloidal silver. Slightly above the deformation point ($550^{\circ}C$), the sensitiveness to light stopped. The necessity of "developing"

Card 1/3

X

24660

Temperature dependence of the...

S/076/61/035/006/013/013
B127/B203

glass irradiated below 220°C by heating indicates that below 220°C there are capture centers catching the photoelectrons and permitting a reduction of the metal only by the release of electrons on heating. If the glass is exposed to ultraviolet light at less than 500°C, it becomes yellow due to the silver content. At 500-515°C, it was orange, at 515-530°C, mahogany, at 530-540°C, green, and at 540-550°C, brown. The specimen was placed at 17.5 cm before the lamp, and heated to 535°C: 5 min irradiation, yellow, 10 min, dark yellow, 13 min, orange, 17 min, mahogany, 25 min, green. At a temperature below 530°C, the colloidal Ag particles started growing at different rates. The thickness of the colored layer was varied at varying temperatures: at 20°C, it was 7 mm, at 510-535°C, 1 mm, and at 540°C, 0.1 mm. If the 0.02% Ag content was substituted by a 0.01% Au content, other rules were governing. The reason is that Au atoms are less mobile than Ag atoms, and therefore the colloidal particles are formed more slowly. The temperature range of the photosensitivity changes intensively with a change in the glass composition. There are 2 figures and 3 references: 2 Soviet-bloc.

Card 2/3

24660

Temperature dependence of the...

S/076/61/035/006/013/013
B127/B203

ASSOCIATION: Nauchno-issledovatel'skaya laboratoriya Leningradskogo zavoda
khudozhestvennogo stekla (Scientific Research Laboratory
of the Leningrad Plant for Artistic Glass)

SUBMITTED: November 18, 1960

X

Card 3/3

BORGMAN, V.A.; CHISTOSERDOV, V.G.

Absorption bands of latent image centers in photosensitive
glass. Opt. i spektr. 12 no.1:140-141 Ja '62. (MIRA 15:2)
(Glass-Spectra)
(Color centers)

41536

E/051/62/013/003/008/012
E202/E435

047000
21.0000

AUTHORS: Borgman, V.A., Chistoserlov, V.G.

TITLE: Colouring of photosensitive glasses by X-rays

PERIODICAL: Optika i spektroskopiya, v.13, no.3, 1962, 421-424

TEXT: The authors studied absorption bands formed as a result of X-ray irradiation of photosensitive glasses and the subsequent changes in these bands caused by heat treatment. Glass no.1 contained SiO₂ - 76, Al₂O₃ - 8, Li₂O - 12, K₂O - 4 wt.%. Glass no.2 had in addition 0.03% CeO₂ and 0.01% Ag. Glass no.3 - 0.02% Ag. Glass no.4 - 0.03% CeO₂ and 0.01% Au. Glass no.5 - 0.01% Au. A tungsten target and a 185 kV PYM-3 (RUM-3) X-ray unit was used for irradiation. High temperature treatment was carried out in a special oven provided for irradiation with an aluminium foil window. Optical density curves with respect to wavelength were plotted using the CΦ-4 (SF-4) spectrometer and after treatment. After irradiation, glass no.1 gave an absorption band with a maximum at 600 to 620 mμ and a group of strongly overlapping bands with a maximum at 300 mμ. All the remaining glasses with the photosensitive additives showed quite Card 1/2

Colouring of photosensitive ...

S/051/62/013/003/008/012
E202/E435

different spectra. Glasses no.3 and 5 had only one band I, while no.2 and 4 had also band II overlapping band I. Heating up to 170°C rendered band I colourless and introduced band II into no.3 and 5. These and other results of earlier work employing ultraviolet irradiation showed that the effect of X-rays on the photosensitive glasses gives rise to entirely different processes from those due to ultraviolet irradiation. It was also found that cerium additives have substantially no effect on the photosensitivity to X-rays. Properties of the latent image formation depended on the metal of the photoactive additive, i.e. Ag or Au, the latter ions taking part in the formation of latent image centres. There are 3 figures.

SUBMITTED: July 20, 1961

Card 2/2

CHISTOSERDOV, V.G.

Increasing the operative efficiency of abrasive wheels
for the diamond cut glass finish. Stek.i ker. 19 no.9:8-11
S '62. (MIRA 15:9)

(Grinding wheels)

BORGMAN, V. A.; GURKOVSKIY, Ye. V.; CHISTOSERDOV, V. G.

2-

"The effect of glass structure variations on photosensitivity."

report submitted for 4th All-Union Conf on Structure of Glass, Leningrad,
16-21 Mar 64.

CHISTOSERDOV, V. G.; KOZLOVA, M. A.

"Peculiarities of crystallization of glass in the state of deep supercooling."

report submitted for 4th All-Union Conf on Structure of Glass, Leningrad,
16-21 Mar 64.

ACCESSION NR: AT4019304

S/0000/63/003/001/0141/0145

AUTHOR: Pavlova, G. A.; Skorniyakov, M. M.; Chistoserdov, V. G.

TITLE: An investigation of the electrical properties of some glasses and glassy-crystalline materials based on the lithium oxide-aluminum oxide-silicon dioxide system

SOURCE: Simpozium po stekloobraznomu sostoyaniyu. Leningrad, 1962. Stekloobraznoye sostoyaniye, vy* p. 1: Katalizirovannaya kristallizatsiya stekla (Vitreous state, no. 1: Catalyzing crystallization of glass). Trudy* simpoziuma, v. 3, no. 1. Moscow, Izd-vo AN SSSR, 1963, 141-145

TOPIC TAGS: glass, glassy-crystalline material, lithium glass, lithium aluminosilicate, photosensitivity, insulation, dielectric loss, electrical property

ABSTRACT: The electrical insulating properties of glassy-crystalline materials obtained from photosensitive glasses of the $\text{Li}_2\text{O}-\text{Al}_2\text{O}_3-\text{SiO}_2$ system can be increased considerably by decreasing the Al_2O_3 concentration and replacing SiO_2 with BaO , SrO , and CaO . After crystallization, the dielectric loss of lithium aluminosilicate glasses can decrease, increase, or remain the same as in the original glass, if the lithium ions are contained in the composition of the crystalline phase. The specific resistance of the crystalline material, however, is always

ACCESSION NR: AT4019304

higher than that of the glass. On the basis of these data it is assumed that the change in the dielectric loss of glass of the $\text{Li}_2\text{O}-\text{Al}_2\text{O}_3-\text{SiO}_2$ system resulting from crystallization depends not only on the composition, but also on the structure of the crystalline phase formed, and in general, on the glassy-crystalline phase. The insulating properties of the photosensitive materials are not increased by increasing the baking temperature of silver paste electrodes from 500 to 800C. After baking the silver paste at 850C, when the rate of diffusion of silver into the material is the highest, there is a great decrease in $\tan \delta$, and an appreciable decrease in ϵ at 10^6 c.p.s. The experimental data are tabulated giving $\log P$, activation energy E , $\tan \delta$, and ϵ as a function of composition and temperature. Orig. art. has: 2 tables and 3 figures.

ASSOCIATION: none

SUBMITTED: 17May63

DATE ACQ: 21Nov63

ENCL: 00

SUB CODE: MT, EM

NO REF SOV: 004

OTHER: 000

Card 2/2

ACCESSION NR: AT4019305

S/0000/63/003/001/0145/0148

AUTHOR: Chistoserdob, V. G.; Novgorodtseva, V. I.

TITLE: Microcrystalline materials with zero, positive, and negative coefficients of thermal expansion

SOURCE: Simpozium po stekloobraznomu sostoyaniyu. Leningrad, 1962. Stekloobraznoye sostoyaniye, vy* p. 1: Katalizirovannaya kristallizatsiya stekla (Vitreous state, no. 1: Catalyzing crystallization of glass). Trudy* simpoziuma, v. 3, no. 1. Moscow, Izd-vo AN SSSR. 1963, 145-148, bottom half of insert facing p. 162

TOPIC TAGS: glass, glass composition, glass crystallization, microcrystallinity, lithium aluminosilicate, thermal expansion, glassy-crystalline state

ABSTRACT: Glass compositions in the center of the spodumene-eucryptite zone were investigated. In this lithium-aluminosilicate system, strong nonporous, glassy-crystalline materials were obtained with coefficients of linear, thermal expansion ranging from $+15$ to $-20 \times 10^{-7}/\text{degree}$, including zero values. From the same glass, microcrystalline material could be obtained by different thermal treatments with a given coefficient of thermal expansion. This coefficient is substantially determined by the β -eucryptite or spodumene content in the material.

Card 1/2

ACCESSION NR: AT4019305

In glassy-crystalline materials obtained by a low-temperature, thermal treatment, β -eucryptite was the principal crystalline phase. An increase in temperature of thermal treatment gave rise to the appearance of a large amount of spodumene and other crystalline phases, which produced a macrostructure. The variation in the phase composition of the materials was accompanied by marked changes in its electrical properties, and this offered a great possibility for more thoroughly studying the questions connected with the structure of glass and glassy-crystalline materials. The linear thermal expansion coefficients for some synthetic lithium minerals are tabulated along with X-ray investigation data. Orig. art. has: 3 figures and 2 tables.

ASSOCIATION: none

SUBMITTED: 17May63

DATE ACQ: 21Nov63

ENCL: 00

SUB CODE: MT

NO REF SOV: 000

OTHER: 005

Card 2/2

BORGMAN, V.A.; CHISTOSERDOV, V.G.

Certain properties of a latent image in photosensitive glasses.

Stekloobr. sost. no.1:150-151 '63.

(MIRA 17:10)

ACCESSION NR: AT4019309

3/0000/63/003/001/0159/0161

AUTHOR: Shmeleva, N. A.; Chistovurdov, V. G.; Gerasimova, A. I.

TITLE: The effect of dilute hydrofluoric acid solutions on lithium silicates

SOURCE: Simpozium po stekloobraznomu sostoyaniyu. Leningrad, 1962. Stekloobraznoye sostoyaniye, vy*p. 1: Katalizirovannaya kristallizatsiya stekla (Vitreous state, no. 1: Catalyzing crystallization of glass). Trudy* simpoziuma, v. 3, no. 1. Moscow, Izd-vo AN SSSR. 1963. 159-161, insert facing page 163

TOPIC TAGS: glass, photosensitivity, ultraviolet light, crystalline phase glass, crystallization, photosensitive glass, hydrofluoric acid, silicate, lithium silicate

ABSTRACT: The solubility of some photosensitive glass in hydrofluoric acid depends on previous exposure to ultraviolet light. In view of the practical importance of this problem, the crystalline phases which result in increased solubility in hydrofluoric acid were studied.

Card 1/2

ACCESSION NR: AT4019310

S/0000/63/003/001/G:61/0164

AUTHOR: Chistoserdov, V. G.; Shmeleva, N. A.; Serdyuk, A. M.

TITLE: A study of the crystallization products in the magnesium aluminosilicate system with additions of titanium dioxide

SOURCE: Simpozium po stekloobraznomu sostoyaniyu. Leningrad, 1962. Stekloobraznoye sostoyaniye, vykp. 1: Katalizirovannaya kristallizatsiya stekla (Vitreous state, no. 1: Catalyzing crystallization of glass). Trudy* simpoziuma, v. 3, no. 1. Moscow, Izd-vo AN SSSR, 1963, 161-164

TOPIC TAGS: glass, glass crystallization, magnesium aluminosilicate, cordierite, geikielite, clinoenstatite, titanium dioxide, catalyzed crystallization

ABSTRACT: The crystallization products of glasses of the $MgO-Al_2O_3-SiO_2-TiO_2$ system and the effect of TiO_2 addition were studied. The dynamics of the formation of crystalline phases were investigated by high-temperature x-ray analysis. The test sample was glass 59 with the composition 61.4% SiO_2 , 18.3% Al_2O_3 , and 20.3% NaO plus 0.25% silica. Ionization curves were plotted for noncrystalline, crystalline, and quenched glasses at different temperatures. Both ionization curves and thermograms were also recorded for glass 59 containing 10% TiO_2 . It was found

Card 1/2

ACCESSION NR: AT4019310

that during the crystallization of titanium glasses, α -cordierite is formed through the μ -form (metastable, insufficiently identified compound with an average refractive index varying from 1.540 to 1.610). In glasses of microcrystalline structure containing 10-18% TiO_2 , geikielite and sometimes clinoenstatite are formed together with α -cordierite. All glasses with 2-18% TiO_2 crystallized at 1100C showed α -cordierite as the principal phase, while glass with 10% or more TiO_2 showed geikielite (MgTiO_3). The phase composition and the microstructure of the resulting ceramics determine their physical-chemical properties; α -cordierite, with a low coefficient of expansion (about $10 \times 10^{-7}/\text{degree}$), imparts high thermal stability, but the cellular-granular structure limits the possibility of high strength. Orig. art. has: 3 figures.

ASSOCIATION: none

SUBMITTED: 17May63

DATE ACQ: 21Nov63

ENCL: 00

SUB CODE: MT

NO REF SOV: 000

OTHER: 001

Card 2/2

PAVLOVA, G.A.; CHISTOSERDOV, V.G.

Investigating the electric properties of certain alkali-free crystalline glass materials depending on their composition and conditions of heat treatment. Stekloobr. sost. no.1:184-190 '63.

(MIRA 17:10)

L 11848-66 EWT(m)/EWP(e)/EWP(b) WH/GS
 ACC NR: AT6000508 SOURCE CODE: UR/0000/65/000/000/0377/0380

AUTHOR: Borgman, V. A.; Gurkovskiy, Ye. V.; Chistoserdov, V. G.

ORG: None

TITLE: The effect of changes in glass structure on light sensitivity

SOURCE: Vsesoyuznoye soveshchaniye po stekloobraznomu sostoyaniyu. 4th, Leningrad, 1964. Stekloobraznoye sostoyaniye (Vitreous state); trudy soveshchaniya, Leningrad, Izd-vo Nauka, 1965, 377-330

TOPIC TAGS: photosensitivity, glass property, optic property, glass

ABSTRACT: The development temperature t_d of light sensitive glasses decreases with an increase in irradiation temperature t_{irr} (V. A. Borgman, V. M. Petrov, V. G. Chistoserdov, ZhFKh, 35, No. 6, 1383, 1961) and seems to depend on the concentration of centers of the latent image. The present investigation studied these relationships on the glass types shown in Table 1. The results are summarized in Figures 1 and 2. The authors provide a theoretical explanation of the results by assuming that the neutral silver atoms have a large mobility similar to the vapor phase which at appropriate concentration and temperature

Card 1/5

L 11848-66

ACC NR: AT6000508

Table 1. Glass Composition in mol %

Oxide	Glass No									
	1	2	3	4	5	6	7	8	9	10
SiO ₂	71	71	71	70	70	70.5	70.85	70.85	70.5	69.1
Al ₂ O ₃	1.45	1.45	1.45	1.2	1.2	1.2	4.4	4.4	—	—
Li ₂ O	—	—	—	—	—	—	—	22.5	—	—
Na ₂ O	8.4	8.4	8.4	13.9	13.9	11.5	22.5	—	—	—
K ₂ O	4.6	4.6	4.6	3.9	3.9	4.8	2.25	2.25	11.3	21.7
MgO	—	—	—	—	—	12	—	—	—	—
CaO	218	2.6	2.6	11	11	—	—	—	—	—
BaO	12	12	12	—	—	—	—	—	9.2	9.2
CeO ₂	0.011	0.011	—	0.011	0.011	0.011	0.011	0.011	0.02	0.02
Ag	0.027	—	—	—	0.027	—	0.015	0.015	—	—
As	—	0.0025	0.0025	0.0025	—	0.0025	—	—	0.006	0.006

Card 2/5

L 11848-66

ACC NR: AT6000508




Fig. 1. The dependence of t_d on t_{irr} for glasses:
a - No 1; b - No 2; c - No 4; d - No 6; e - No 9, f - No 10.

Card 3/5

L 11848-66

ACC NR: AT6000508




Fig. 2. Density of latent image versus t_{irr} . a - curves 1, 2, 3, 4 for glasses 7, 1, 2, 3, respectively. Thin lines indicate the decay of the latent image down to t_d for glass 7 (some of the curves are extended by dashed lines to t_0); b - the same for glass 5. Thickness: 0.4 mm.

Card 4/5

L 11848-66

ACC NR: AT6000508

becomes supersaturated and condenses in the form of colloidal particles. In Au containing glasses the t_d versus t_{irr} dependence is then much less pronounced because of a much smaller mobility of gold atoms. Orig. art. has: 3 formulas, 3 figures, and 1 table.

SUB CODE: 11, 20 / SUBM DATE: 22May65 / ORIG REF: 004

jw
Card 5/5

L 11849-66 EWT(m)/EWP(e)/EWP(b) WH/GS

ACC NR: AT6000509

SOURCE CODE: UR/0000/65/000/000/0380/0382

AUTHOR: Chistoserdov, V. G.; Kozlova, M. A.

ORG: None

TITLE: Some unique features of glass crystallization at temperatures near t_g

SOURCE: Vsesoyuznoye soveshchaniye po stekloobraznomu sostoyaniyu. 4th, Leningrad, 1964. Stekloobraznoye sostoyaniye (Vitreous state); trudy soveshchaniya, Leningrad, Izd-vo Nauka, 1965, 380-382

TOPIC TAGS: catalyzed crystallization, silicate glass, glass property, *electron microscopy, crystallization*

ABSTRACT: By means of electron microscopy the authors investigated the glass crystallization process from a temperature of about t_g and higher on samples the composition of which is near the triple eutectic point in the cordierite field of the $SiO_2-Al_2O_3-MgO$ system with some admixtures of TiO_2 (transparent, weakly yellow, $t_g = 720 \pm 10C$). An analysis based on the data from the thermal processing of the initial glass, the differential thermal analysis curves, and the electron microscope showed that with an increase in temperature there is no further growth of the primary formations appearing at temperatures 60-80C above t_g , but they become rather reoriented and joined into aggregates. The orientation angles of

Card 1/2

L 11849-66

ACC NR: AT6000509

adjacent aggregates may be entirely different; this can be explained by the polarity of the primary formations. The production of the primary formations is greatly induced by the presence of Ti compounds exhibiting large polarization moments. In the absence of such compounds the crystallization begins on the surface and is rigorously oriented towards it. Orig. art. has: 2 figures.

SUB CODE: 11, 20 / SUBM DATE: 22May65

jw
Card 2/2

CHRISTOSERDOV, V.G., kand. tekhn. nauk

First symposium on quartz glass. Stek. ker. 22 no.10:47-48
O '65. (MIRA 18:12)

CHISTOSERDOV, V. V.

A Study of the Elements of Wave Formation. Notes on Hydrography, No. 1, 1947 (52-62).

REGEL'MAN, Kh.Z., kand. tekhn. nauk, dotsent; CHISTOSERDOV, V.V.,
dotsent, kand. tekhn. nauk

Book review. Tekst. prom. 25 no.7:76-79 JI '65. (MIRA 18:8)

1. Leningradskiy institut tekstil'noy i legkoy promyshlennosti
imeni Kirova.

L 33523-65 EWT(m)/EWP(e)/EWA(z)/T/EWP(t)/EWP(b) IJP(c) M.W/JD
 ACCESSION NR: AR5005704 S/0276/64/000/010/B060/B060

SOURCE: Ref. zh. Tekhnol. mashinost. Sv. t., Abs. 10B385

AUTHOR: Kriulin, A. V.; Chistoserdyova, G. A.

TITLE: A study of optimal boration conditions and the properties of the borated layer in various steels

CITED SOURCE: Tr. Leningr. in-ta vodn. transp., vyp. 58, 1964, 12-18

TOPIC TAGS: steel boration, optimal boration environment, electrolytic boration, borated layer property/ 20Kh steel, 27SG steel, 27SGT steel, 30KhGSA steel, steel No. 40, 40KhSA steel

TRANSLATION: Electrolytic boration in melted borax was studied on 20 Kh, 27SG, 27SGT, 30KhGSA, No. 40 and 40KhSA steel. A boration temperature of 1000C, cathodic current density of 0.25-0.30 a/cm² and treatment duration of at least 1 hr. are recommended as optimal. Electrolytic boration of carbon steels and low-alloy structural steels produced a hardened layer 0.30-0.40 mm deep, with Vickers hardness of 1200 and 1500 kg/mm² for No. 40 and 40KhSA respectively. The borate steel layer is deepest

Cord 1/2

L 33523-65

ACCESSION NR: AR5005704

in No. 40 and hardest in 40KhSA, 30KhGSA and 27SGT. The authors recommend
hardening of borated parts and subsequent low-temperature tempering. Six illustrations.
T. Luchininova

SUB CODE: MM

ENCL: 00

Card 2/2

L 02510-67 EWT(m)/EWP(w)/I/EWP(t)/ETI IJP(c) JD

ACC NR: AR6015963

SOURCE CODE: UR/0277/65/000/012/0008/0008

AUTHOR: Chistoserdova, G. A.

TITLE: Effect of sheet thickness on the cold shortness of 4S steel for ship hulls

SOURCE: Ref. zh. Mashinostroitel'nyye materialy, konstruksii i raschet detaley mashin. Gidroprivod, Abs. 12.48.70

REF SOURCE: Tr. Leningr. in-ta vodn. transp. vyp. 73, 1964, 32-34

TOPIC TAGS: structural steel, steel microstructure, brittleness, impact strength, ductility, cold working, low temperature research

ABSTRACT: The author studies the effect of sheet thickness (16 and 30 mm) on the impact strength of 4S hull plate steel at 20 and -50°C. The upper limit of the transition interval for brittleness in 4S steel is -20°C for specimens cut from sheets of both thicknesses. The lower limit of cold shortness is somewhat higher for specimens cut from the thicker sheet (30 mm), lying between -30 and -40°C. The lower limit of cold shortness for 16 mm sheet is -40°C. Microstructural damage with an increase in sheet thickness is the principal reason for the reduced ductility of hot-rolled steel at below-zero temperatures. [Translation of abstract]

SUB CODE: 11, 20

Card

171 *20/6*

UDC: 669.14.018.293;539.55

L 20809-65 EWI(m)/EWP(v)/EWA(d)/I/EWP(t)/EWP(b) AFWL/ASD(m)-3 MJW/JD

ACCESSION NR: AR4048243

S/0137/64/000/009/1053/1053

SOURCE: Ref. zh. Metallurgiya, Abs. 91327

AUTHOR: Chistogerdova, G. A.

TITLE: Effect of low temperatures on cold brittleness of ship hull steel 40C

CITED SOURCE: Tr. Leningr. in-ta vodn. transp., vyp. 58, 1964, 25-34

TOPIC TAGS: steel, metal brittleness, temperature, metalworking, metal mechanical property, marine engineering/ steel 48

TRANSLATION: The effect of various hot working conditions on the mechanical properties, sensitivity to notching, and critical brittleness temperature T_{br} of steel 48, containing (in %) 0.21 C, 0.27 Si, 0.47 Mn, 0.023 S, 0.012 P, 0.16 Cr, 0.18 Ni, 0.05 Mo, and 0.1 Cu, was investigated. Samples were made of sheet steel with a cross section thickness of 16 mm. Tests were carried out in a temperature interval from room temperature to -50° . The samples were subjected to normalizing from 880 to 1100° and quenching and tempering

Card 1/2

L 20809-65

ACCESSION NR: AR4048243

at 150 and 500°. In the hot rolled state, σ_k at 20° is 13.8 kg-m/cm², T_{br} lies at -40°, and at this temperature σ_k is 5.5 kg-m/cm². Normalizing at 880° lowers T_{br} to -50°. Raising the normalizing temperature to 1100° increases T_{br} to -30°. Annealing at 900° increases σ_k at 20°, but T_{br} does not change. σ_b and $\sigma_{0.2}$ are somewhat increased by a decrease in temperature, but δ and ψ are practically unchanged. Heat treatment (quenching and tempering at 500°) significantly increases the σ_k of the steel, while T_{br} drops below -50°; in addition, heat treatment markedly reduces sensitivity to notching at room temperature and at -50°. To improve the ductility of steel 4S at negative temperatures, overheating before rolling and completion of rolling at high temperatures should be avoided, and accelerated cooling after rolling should be employed. Sheet steel 4S for hulls of icebreakers should be normalized from 880° with subsequent tempering at 500-550°, or should only be normalized.

SUB CODE: MM

ENCL: 00

End 2/2

CHISTOBENOV, G. V., EDEMT, M. K., FRIDE, K. A.,

"Influence of Endocrine Glands on Course of Infection and Immunity,"
Zhu. MEIB (3) 49-50, 1944.

GHISTOSERDOVA, G. V.

GHISTOSERDOVA, G. V. "Study of the Properties of Bacteriophages of Some Phytopathogenic Bacteria," Mikrobiologiya, vol. 7, no. 1, 1938, pp. 112-118. 448.3 M582.

SO: SIRA - SI 90 - 53, 15 Dec. 1953.

CHISTOSERDOVA, G. V.

"Sero-diagnostics of Some Fluorescent Phytopathogenic Bacteria," Mikrobiologiya,
vol.7, no. 7. 1938, pp. 809-828. Lit.3 M582

IZRAILSKIY, V. P. and CHISTOSERDOVA, G. V.

SO: SIRA SI-19-53, 15 Dec. 1953

CHISTOMERDOVA, G. V.

ISRA'ELSKI (V. P.) & CHISTOMERDOVA (Mme G. V.). Серологические исследования растений, пораженных бактериальными болезнями. [Serological examination of plants affected with bacterial diseases]. — Микробиол. [Microbiol.], viii, 1, pp. 101-115, 1939. [English summary.]

In further studies in Moscow on the possibility of applying serological tests for the diagnosis of bacterial diseases [R.A.M., xviii, p. 445], extracts from the rind of lemon fruits and branches of lemon trees infected with *Bacterium* [*Pseudomonas*] *citripuleale* gave a precipitate with rabbit sera immunized against this organism, whereas extracts from healthy plant material gave none; none of the extracts gave any precipitate with normal rabbit sera. Similar results were obtained in analogous tests with *Bact. mori*. A few normal sera gave precipitates with extracts from healthy plants, e.g. cotton, possibly owing to the presence of some pseudo-antibodies, and it is, therefore, of importance only to prepare immune sera from rabbits whose normal sera do not react in this way. Extracts from branches of lemon trees naturally infected with *P. citripuleale* failed to precipitate, however, with sera immunized against strain 'lemon 25' of this organism, and a biochemical and serological examination of three out of the 15 strains isolated from these branches showed them to differ from strain 'lemon 25' in various

Res Inst. Microbiol.
RSFSR People's
Commissariat
Health, Moscow

ABB-364 METALLURGICAL LITERATURE CLASSIFICATION

1939 STATION

1939 NO. 1

1939 NO. 2

1939 NO. 3

1939 NO. 4

1939 NO. 5

1939 NO. 6

1939 NO. 7

1939 NO. 8

1939 NO. 9

1939 NO. 10

1939 NO. 11

1939 NO. 12

1939 NO. 13

1939 NO. 14

1939 NO. 15

1939 NO. 16

1939 NO. 17

1939 NO. 18

1939 NO. 19

1939 NO. 20

1939 NO. 21

1939 NO. 22

1939 NO. 23

1939 NO. 24

1939 NO. 25

1939 NO. 26

1939 NO. 27

1939 NO. 28

1939 NO. 29

1939 NO. 30

1939 NO. 31

1939 NO. 32

1939 NO. 33

1939 NO. 34

1939 NO. 35

1939 NO. 36

1939 NO. 37

1939 NO. 38

1939 NO. 39

1939 NO. 40

1939 NO. 41

1939 NO. 42

1939 NO. 43

1939 NO. 44

1939 NO. 45

1939 NO. 46

1939 NO. 47

1939 NO. 48

1939 NO. 49

1939 NO. 50

1939 NO. 51

1939 NO. 52

1939 NO. 53

1939 NO. 54

1939 NO. 55

1939 NO. 56

1939 NO. 57

1939 NO. 58

1939 NO. 59

1939 NO. 60

1939 NO. 61

1939 NO. 62

1939 NO. 63

1939 NO. 64

1939 NO. 65

1939 NO. 66

1939 NO. 67

1939 NO. 68

1939 NO. 69

1939 NO. 70

1939 NO. 71

1939 NO. 72

1939 NO. 73

1939 NO. 74

1939 NO. 75

1939 NO. 76

1939 NO. 77

1939 NO. 78

1939 NO. 79

1939 NO. 80

1939 NO. 81

1939 NO. 82

1939 NO. 83

1939 NO. 84

1939 NO. 85

1939 NO. 86

1939 NO. 87

1939 NO. 88

1939 NO. 89

1939 NO. 90

1939 NO. 91

1939 NO. 92

1939 NO. 93

1939 NO. 94

1939 NO. 95

1939 NO. 96

1939 NO. 97

1939 NO. 98

1939 NO. 99

1939 NO. 100

* CHISTOSERDQVA, G. V.

Exptl. branch Central Inst. Epidemiology and Microbiology NKZDRAVA, People's
Commissariat, Public Health, (-1944-)

"The influence of the endocrine glands on the course of infectious process and
immunity."

Zhur. Mikrobiol., Epidemiol., i Immunobiol., No. 3, 1944.

CHISTOSERDOVA, G.V.

BEYLINSON, A.V.; BOBKOVA, M.P.; SHAKHANINA, K.L.; VITOKHINA, T.A.; BLOKHINA,
T.P.; CHISTOSERDOVA, G.V.

Hematic proteases in hyperimmune antitoxic serums and methods for
their detection [with English summary in insert]. Biokhimiia 21 no.6:
671-675 N-D '56. (MLRA 10:7)

1. Institut epidemiologii i mikrobiologii imeni N.F.Gamaleya Akademii
meditsinskikh nauk SSSR, Moskva.

(PROTEASES, determination,
in immune sera (Rus))

(IMMUNE SERUMS,
proteases in, determ. (Rus))

BEYLINSON, A.V.; ORLOVA, N.N.; SHAKHANINA, K.L.; VITOKHINA, T.A.;
CHISTOSERDOVA, G.V.; L'VOVA, A.I.

Purification and concentration of polyvalent sera against influenza
by fractional salting out. Vop. virus. 5 no. 2:140-145 My-S '60.

1. Institut epidemiologii i mikrobiologii imeni N.F. Gamalei
AMN SSSR i Institut virusologii imeni D.I. Ivanovskogo AMN SSSR,
Moskva.

(SERUM) (INFLUENZA)

SOV/137-59-1-2102

Translation from: Referativnyy zhurnal. Metallurgiya, 1959, Nr 1, p 276 (USSR)

AUTHORS: Ryazanov, I. P., Chistota, L. M.

TITLE: Chromatographic Determination of Vanadium in Steels (Khromatograficheskoye opredeleniye vanadiya v stalyakh)

PERIODICAL: Sb. nauchn. tr. Magnitogorskiy gornometallurg. in-t, 1958, Nr 16, pp 154-160

ABSTRACT: A description is offered of a method for separation of V from Mo, W, and Fe using Al_2O_3 ; the method is based on the fact that after addition of a solution of H_2O_2 and a saturated solution of K_2CO_3 to a solution containing V, Mo, W, and Fe, the compounds of Mo, W, and Fe are retained on Al_2O_3 , whereas the compounds of V are not retained. 0.2-0.5 g of steel are dissolved in the smallest possible amount of aqua regia. The solution is diluted with 10 cc of hot water and heated for 3-5 min. 2-6 cc of $HClO_4$ are added and the whole is taken to fumes. Cr is then distilled off in the form of CrO_2Cl_2 . The solution is transferred into a 100-cc flask. 8-10 drops of 3% H_2O_2 and an excess of concentrated solution of K_2CO_3 are added to an aliquot portion of the solution, and the mixture is

Card 1/2

SOV/137-59-1-2102

Chromatographic Determination of Vanadium in Steels

heated to decompose the excess H_2O_2 . After cooling the solution is passed through the column with the chromatographic Al_2O_3 . V passes through the column, together with the wash water, is collected in a 100-cc flask where it is determined by the colorimetric method.

A. M.

Card 2/2

CHISTOTA, V. D.

CHISTOTA, V. D. -- "The Effect of an Adsorption-Active Medium on the Force of Drawing Steel Wire." Inst of Physical Chemistry, Acad Sci USSR. Magnitogorsk Mining and Metallurgical Inst imeni G. I. Nosov. Moscow, 1955. (Dissertation for the Degree of Candidate of Chemical Sciences.)

SO: Knizhnaya Letopis', No 5, Moscow, Feb 1956

Disc: 4E2c/4E2c

as shown in the power requirements for wire production decrease with increasing hydrocarbon chain length of the lubricant. The hydrocarbons used ranged from C₁₀

to C₂₀ sugar has the correct viscosity to obtain ml. power requirements. The ml. power requirements with solns. of ethylcellulose in di-Bu phthalate correspond to solns. containing 50% and 20% ethylcellulose.

SOV/137-58-8-16967

Mechanism of Action of Coating in Drawing Process (cont.)

pressure of the tool, this facilitates deformation of the metal. 3. Separation of the metal surfaces of the work piece and the tool is performed by fillers in the coating, and this significantly reduces the forces of friction. It is suggested that coating and coolant fluids be classified on the basis of their adsorptive activity. On this basis, all the varieties of coating and coolant fluids are classified in 4 groups.

S.G.

1. Metals--Processing
2. Lubricants--Adsorptive properties
3. Coolants--Adsorptive properties
4. Lubricants--Performance

Card 2/2

SOV/137-59-1-2122

Translation from: Referativnyy zhurnal. Metallurgiya, 1959, Nr 1, p 278 (USSR)

AUTHORS: Ryazanov, I. P., Chistota, V. D.

TITLE: Triethanolamine as a Reagent for Qualitative Analysis (Trietanola-
min kak reaktiv dlya kachestvennogo analiza)

PERIODICAL: Sb. nauchn. tr. Magnitogorskiy gornometallurg. in-t, 1958, Nr
16, pp 146-153

ABSTRACT: A 20% triethanolamine solution (I) at pH 7.77 was used. Al^{3+} , Mn^{2+} , Zn^{2+} , Bi^{3+} , Cd^{2+} , Sn^{2+} , Sb^{3+} , Sb^{5+} , and Fe^{2+} with I form precipitates insoluble in an excess of reagent. Cr^{3+} , Co^{2+} , Ni^{2+} , Pb^{2+} , and Sn^{2+} form colored, soluble complex compounds. Fe^{3+} , Co^{2+} , Ni^{2+} , Hg_2^{2+} , and Hg^{2+} do not form any precipitate with the reagent. Qualitative reactions of cations with I in the presence of $K_2Cr_2O_7$, KI , $(NH_4)_2C_2O_4$, and NH_4CNS , as well as with sodium versenate, Na diethyldithiocarbamate, oxyquinoline, rubeanhydride and anthranil acids are adduced. A procedure for separating the cations without hydrogen sulfide by using triethanolamine is given.
P. K.

Card 1/1

S/137/61/000/005/017/060
A006/A106

AUTHOR: Chistota, V.D.

TITLE: Evaluating the efficiency of greasing when drawing by the method of repeated broaching

PERIODICAL: Referativnyy zhurnal. Metallurgiya, no. 5, 1961, 24, abstract 5D229 ("Sb. nauchn. tr. Magnitogorskiy gornometallurg. in-t", 1960, no. 20, 155 - 161)

TEXT: Information is given on the results of investigating the dependence of the drawing force of a steel wire on the type of greasing, when the wire is repeatedly drawn through one draw plate. A 0.5% solution of soap was tested as a lubricant of the active medium, and vaselin oil as lubricant of the non-active medium. A sharper relative reduction of the drawing force during consecutive broachings was observed when using an active medium as compared to a non-active one.

V. P.

[Abstracter's note: Complete translation]

Card 1/1

GRAVE, N.A., doktor geogr.nauk; GAVRILOVA, M.K.; GRAVIS, G.F.;
KATASONOV, Ye.M.; KLYUKIN, N.K.; KOREYSHA, M.M.;
KORNILOV, B.A.; CHISTOTINOV, L.V.; TORKHANOVA, Z.A., red.

[Collection of articles] Sbornik statei. Moskva, Nauka,
No.14. 1964. 140 p. (MIRA 17:12)

1. Akademiya nauk SSSR. Mezhdunarodnyy komitet po
provedeniyu Mezhdunarodnogo geofizicheskogo goda. IX razdel
programmy MGG. Glyutsiologiya.

~~CHISTOTIPOV, L.V.~~

Teplo-i massoobmen v merzlykh tolshchakh zemnoy kory (heat and Mass Transfer in the Frozen Strata of the Earth's Crust) Moscow, Izd-vo AN USSR, 1963 213p.
Research by the staff of the Heat-and Mass-Transfer Division of the Institute of Permafrost Study, Siberian Branch, AS USSR.

Balashov, V.T. Calculation of Wasting of Glaciers and
nalseds 117

Ivanov, N.S. The Thermal Regime of the Cryozone With Regard
to its Thermal Anisotropy 124

Chistotipov, L.V. The Hydrothermal Regime of a Moist
Sample of a Dispersive Material in Contact With a
Non-hygroscopic Standard Body 131

Mostakhov, S.Ye. Calculated Climatic Characteristics for
Designing Buildings and Structures in the Territory
of the Yakutsk ASSR 137

Ivanov, N.S. Determination of the Thermal Conductivity
Coefficient for Cryogenic Media Using the Theory of the
Generalized Regular Thermal Regime 148

Card 4/7

CHISTOV, A.

Scientific technological societies in China. NTO 5 no.6:57-58 Je
'63. (MIRA 16:9)

CHISTOV, A.

Chairman of the district committee of the Volunteer Society for
Assistance to the Air Force. Voen. znan. 25 no.5:21 My '49.
(MIRA 12:12)

(Aeronautic) (Military education and training)

L 36219-66

ACC NR: AP5023380

(A)

SOURCE CODE: UR/0317/65/060/004/0042/0047

AUTHOR: Chistov, A. (Engineer, Colonel)

ORG: none

TITLE: Technical organization of vehicle repair

SOURCE: Tekhnika i vooruzheniye, no. 4, 1965, 42-47

TOPIC TAGS: military tank, military training, military personnel, *SERVICING*
TECHNIQUE

ABSTRACT: The duties of a deputy tank battalion commander for technical affairs are described. This officer is charged with maintaining a register of all vehicles and equipment and their condition, the training of repair and maintenance personnel, and the training of tank crews to cross water obstacles, etc. In a field operation, he sets up and relocates battalion vehicle repair stations. On the basis of the terrain, the type of maneuver and the state of repair of the tank, he estimates the probable expenditure of machines and parts. He also reports to the battalion commander on damage and contamination arising from an enemy attack with nuclear or chemical weapons.

SUB CODE: 15,19/

SUBM DATE: none

Card 1/1 *114*

CHISTOV, A.

AID P - 5290

Subject : USSR/Aeronautics - Civil Aviation
Card 1/1 Pub. 58 - 8/11
Author : Chistov, A.
Title : At the spurs of the Shihote-Alin' mountain range
Periodical : Kryl. rod., 9, 17-18, S 1956
Abstract : The author outlines the role of the civil aviation in the regions of Eastern Siberia which are difficult of access, and relates his own trip to the isolated in the taiga town of Sidatun (Primorskiy kray, RSFSR).
Institution : None
Submitted : No date

CHISTOV, A., inzh.-podpolkovnik.

~~CHISTOV, A.~~ Servicing a tank company. Tankist no.3:39-41 Mr '58. (MIRA 11:5)
(Tanks (Military science)—Maintenance and repair)

CHISTOV, A. (g.Korkino)

Here people like sports. Sov.shakht. 11 no.1:40 Ja '62.
(MIRA 14:12)
(Coal miners) (Physical education and training)

GHISTOV, A.

Union of engineers and technicians in Yugoslavia. NTO 6 no.1:58-59 Ja
'64. (MIRA 17:2)

L 00671-67

ACC NR: AP5023380

(A)

SOURCE CODE: UR/0317/65/000/004/0042/0047

AUTHOR: Chistov, A. (Engineer, Colonel)

ORG: none

TITLE: Technical organization of vehicle repair

SOURCE: *Tekhnika i vooruzheniye*, no. 4, 1965, 42-47

TOPIC TAGS: military tank, military training, military personnel, *SERVICING*
TECHNIQUE

ABSTRACT: The duties of a deputy tank battalion commander for technical affairs are described. This officer is charged with maintaining a register of all vehicles and equipment and their condition, the training of repair and maintenance personnel, and the training of tank crews to cross water obstacles, etc. In a field operation, he sets up and relocates battalion vehicle repair stations. On the basis of the terrain, the type of maneuver and the state of repair of the tank, he estimates the probable expenditure of machines and parts. He also reports to the battalion commander on damage and contamination arising from an enemy attack with nuclear or chemical weapons.

SUB CODE: 15,19/ SUBM DATE: none

CHISTOV, Aleksandr Aleksandrovich; VASIL'YEV, V.N., red.; SKONECHNAYA,
A.D., red.; KLYUCHEVA, T.D., tekhn.red.

[Work and live the communist way] Rabotat' i zhit' po kommu-
nisticheski. Moskva, Izd-vo "Sovetskaya Rossiya," 1960. 28 p.
(Dlia slushatelei sel'skikh nachal'nykh ekonomicheskikh shkol
i kruzhek. Tema 7). (MIRA 14:2)
(Agricultural laborers)

CHISTOV, A.A.; KANTER, A.I., red.; SAVCHENKO, Ye.V., tekhn. red.

["The relay race" of communism] Estafeta kommunizma. Moskva, Izd-vo "Znanie," 1961. 38 p. (Narodnyi universitet kul'tury: Tekhniko-ekonomicheskii fakul'tet, no.1) (MIRA 14:9)
(Efficiency, Industrial)

BELONOSOV, N.I., dotsent; CHISTOV, A.A.

Biomycin and vitamin concentrate product of the Petrovskiy
Alcohol Plant. Veterinariia 38 no.4:39-42 Ap '61 (MIRA 18:1)

1. Ivanovskiy sel'skokhozyaystvennyy institut (for Belonosov).
2. Glavnyy inzh. Petrovskogo spirtovogo zavoda (for Chistov).

CHISTOV, Aleksandr Aleksandrovich; SKONECHNAYA, A.D., red.;
AVDEYEVA, V.A., tekhn. red.

[Town and country] Derevnia i gorod. Moskva, Izd-vo
"Sovetskaja Rossia," 1961. 73 p. (MIRA 15:2)
(Russia—Economic conditions)
(Russia—Social conditions)

CHISTOV, Aleksandr Aleksandrovich; KANTER, A.I., red.; ATROSHCHENKO,
L.Ye., tekhn. red.

[This is in the spirit of communism] Eto kommunistichno. Moskva, Izd-vo "Znanie," 1962. 47 p. (Narodnyi universitet kul'tury. Tekhniko-ekonomicheskii fakul'tet, no.2) (MIRA 15:5)

(Technological innovations) (Industrial management)

CHISTOV, A. B., ENGINEER

"Gor'kiy Automobile Plant imeni Molotov", Stanki I Instrument, 14 No. 4-5, 1943.

*Excerpt form his report:

CHISTOV, A.D.; BAZARNOVA, G.V.; BEK, N.D.; BELIKOVA, V.I.; BLINOVA, M.Ya.;
KABANOVA, P.G.; MAKUROVA, M.D.; PRIPISTSOVA, K.D.; SIMONOVA, I.F.;
TOLKACHEVA, Ye.M.; TYUNYAYEVA, V.V.; ZINCHENKO, V.S., red.izd-va;
PAVLOVSKIY, A.A., tekhn.red.

[Foreign trade of the U.S.S.R. for 1918-1940; statistical survey]
Vneshniaia trgovlia SSSR za 1918-1940 gg.; statisticheski obzor.
Moskva, Vneshtorgizdat, 1960. 1134 p. (MIRA 13:10)

1. Russia (1923- U.S.S.R.) Glavnoye tamozhennoye upravleniye.
2. Otdel statistiki Glavnogo tamozhennogo upravleniya Ministerstva
vneshney trgovli SSSR (for all, except Zinchenko, Pavlovskiy).
(Commercial statistics)

CHISTOV, A.P., mashinist-instruktor

Advice concerning the servicing of the ignitrons of electric locomotives.
Elek. i tepl. tiaga 6 no.11:34-35 N '62. (MIRA 16:1)

1. Depo Zima Vostochno-Sibirskoy dorogi.
(Electric locomotives)

GHISTOV, B.G.

Device for opening containers of irradiated targets. Atom.
energ. 17 no.5:419-420 N '64. (MIRA 17:12)

CHISTOV, D.I.

The theory of plane beams with large curvature and asymmetrical
cross section. Trudy NPI 117:45-50 '61. (MIRA 15:7)
(Beams and girders)

CHISTOV, D.I.

Bend and torsion of a flat, circular bar of great curvature
with nonsymmetrical cross section. Trudy NPI 136:111-123 '63.
(MIRA 16:10)

(Torsion)

(Flexure)

BARTNOVSKIY, Aleksandr Leont'yevich; KOZIN, Vasilii Onisimovich; KUCHERENKO, Sergey Aleksandrovich; BUZINIKER, D.M., inzh., retsenzent; GRIGOR'YEV, N.I., inzh., retsenzent; CHISTOV, G.I., inzh., retsenzent; SHTILLER, Ya.V., inzh., retsenzent; NOVIKAS, M.N., inzh., red.; BOEROVA, Ye.N., tekhn. red.

[Specialized measurements in communication systems, automatic control, and remote control] Spetsial'nye izmereniia v ustroistvakh svyazi, avtomatiki i telemekhaniki. Moskva, Vses. izdatel'sko-poligr. ob"edinenie M-va putei soobshchenia, 1961. 251 p.

(MIRA 14:8)

(Electronic measurements) (Railroads--Electronic equipment)

LAPTEV, I.D., starshiy nauchnyy sotr.; BUYANOV, P.S., starshiy nauchnyy sotr.; KASSIROV, L.N., starshiy nauchnyy sotr.; TERYAYEVA, A.P., starshiy nauchnyy sotr.; SUVOROVA, L.I., starshiy nauchnyy sotr.; SIDOROVA, M.I., starshiy nauchnyy sotr.; SEMIN, S.I., starshiy nauchnyy sotr.; Prinimali uchastiye: ARKHIPOV, A.I., mladshiy nauchnyy sotr.; VAZYULYA, P.F., mladshiy nauchnyy sotr.; KARIYUK, I.Ya., mladshiy nauchnyy sotr.; KARNAUKOVA, Ye.I., mladshiy nauchnyy sotr.; KHYLOVA, T.N., mladshiy nauchnyy sotr.; ROMANOVSKAYA, L.S., mladshiy nauchnyy sotr.; ~~CHISTOV, G.N., mladshiy nauchnyy sotr.~~; POTAPOV, Kh.Ye., red.; GERASIMOVA, Ye.S., tekhn. red.

[Communal funds of collective farms and the distribution of collective farm income] Obshchestvennye fondy kolkhozov i raspredelenie kolkhoznym dokhodov. Moskva, Izd-vo ekon. lit-ry, 1961. 386 p. (MIRA 15:3)

1. Akademiya nauk SSSR. Institut ekonomiki. 2. Sektor ekonomiki sel'skogo khozyaystva Instituta ekonomiki Akademii nauk SSSR (for Laptev, Buyanov, Kassirov, Teryayeva, Suvorova, Sidorova, Semin).

(Collective farms--Income distribution)

CHISTOV, G.V.; GUS'KOVA, T.M.; IOFFE, M.L., redaktor; GUROVA, O.A.,
~~tekhnicheskii~~ tekhnicheskii redaktor.

[Interchangeable units and parts of automobiles] Vzaïmosame-
niaemye agregaty i detali avtomobilei. Moskva, Izd-vo Ministerst-
va kommunal'nogo khozïssïstva RSFSR, 1954. 160 p. (MLRA 7:8)
(Automobiles)

GHISTOV, I. A.

Uvhet i otchetnost'po gosudarstvennym dokhodam SSSR (Accounting and accounts for the state income of the U.S.S.R.). Moskva, Gosfinizdat, 1952. 116 p.

SO: Monthly List of Russian Accessions, Vol 6, No. 3, June 1953

1ST AND 2ND GROUPS																										3RD AND 4TH GROUPS																																																																									
1ST GROUP													2ND GROUP													3RD GROUP													4TH GROUP																																																												
A													B													C													D																																																												
1													2													3													4																																																												
5													6													7													8																																																												
9													10													11													12																																																												
13													14													15													16																																																												
17													18													19													20																																																												
21													22													23													24																																																												
25													26													27													28																																																												
29													30													31													32																																																												
33													34													35													36																																																												
37													38													39													40																																																												
41													42													43													44																																																												
45													46													47													48																																																												
49													50													51													52																																																												
53													54													55													56																																																												
57													58													59													60																																																												
61													62													63													64																																																												
65													66													67													68																																																												
69													70													71													72																																																												
73													74													75													76																																																												
77													78													79													80																																																												
81													82													83													84																																																												
85													86													87													88																																																												
89													90													91													92																																																												
93													94													95													96																																																												
97													98													99													100																																																												
CA 10 The preparation of higher ketones (homologs of acetone). L. E. Chislov and A. M. Tsvetkov. <i>Lezhimni. chislova</i> From. 5, No. 11, 15-21(1994).—A detailed description of a com. scale plant for the prep. of MeCORi and MeCOFr from the ketone oil obtained in the rectification of crude acetone is presented. A. A. B.																																																																																																			
ASS-11.4 METALLURGICAL LITERATURE CLASSIFICATION																																																																																																			